


UNDERFLOOR DRAINAGE PLAN



City of Cotati
 Community Development
 Department
 201 W Sierra Avenue
 Cotati, CA 94931
 (707) 665-3636
permits@cotaticity.gov


THIS DRAWING DEPICTS MINIMUM CODE REQUIREMENTS PER THE 2022 CALIFORNIA CODE CYCLE - INFORMATION IS FOR REFERENCE ONLY AND IS NOT A SUBSTITUTE FOR ACCURATE DRAWINGS PREPARED FOR EACH PROPOSED CONSTRUCTION PROJECT



OUTFALL OPTION 1:
 ROCK FILLED OR OTHER APPROVED DRAINAGE OUTFALL ABOVE GRADE ON PROPERTY, THEN DRAINING TO STREET OR APPROVED DRAINAGE STRUCTURE (NOT OVER PUBLIC WAY SUCH AS A SIDEWALK) (CBC 3201.4)

OUTFALL OPTION 2:
 IF GRAVITY FLOW TO DISCHARGE IS NOT FEASIBLE, PROVIDE PUMP SYSTEM TO DISCHARGE TO GRADE SIMILAR TO OPTION 1 - SPECIFY PUMP SIZE & ELECTRICAL CONNECTIONS ON THE PLANS, & PROVIDE MANUFACTURER'S SPECIFICATIONS FOR THE PUMP

FOUNDATION PLAN



A AT SPREAD FOOTING

B AT PIER

FOR INFORMATION NOT NOTED SEE **A**